

Wound Management Product Formulary

Version: October 2015

INTRODUCTION

The first choice dressing list will be available to all practitioners prescribing and / or applying wound dressing products throughout HRCH. HRCH Wound Management Formulary is in two parts, one classified by wound type the other by dressing type. The formulary has been devised by an expert clinical group using the Best Practice Formulary guidelines in consultation with staff. It aims to provide a clinically effective, appropriate and cost effective choice of products to manage the vast majority of wounds. The list will be evaluated and updated on an annual basis to reflect innovation in practice and new evaluated products. In most cases, the product list contains choices to assist in the choice of dressing following patient assessment. Selection of dressing product should also be based upon frequency of dressing change.

NOTES FOR USE

The following must be noted:

1. The choice of dressing should not replace sound clinical judgment.
2. Prescribers should order a quantity that is clinically required, rather than prescribing whole packs that produce waste and inefficiencies.
3. Correct initial and ongoing wound assessment must follow selection of dressing product.

DRESSING CHOICE



















Prescribing should take into account:

- Personalised assessment.
- Wound assessment.
- Wound care guidelines.
- Manufacturers product information.
- The most up to date BNF.

The choice of dressings is influenced by:

- Maximising effectiveness.
- Minimising a risk.
- Continuation of care between primary and secondary care.
- Minimising cost.
- Patient concordance.
- Specialist products e.g. NPWT & Larval therapy should only be used following discussion and where necessary assessment by the TVN.

- Compression products should only be applied by practitioners trained in their application. Maintenance hosiery can be prescribed in any size, including made to measure.
- Antimicrobial products should only be used where an increased risk of infection or clinical signs of critical colonisation / infection are apparent. Once an infection has resolved, treatment with an antimicrobial product should be stopped.
- There is no robust clinical evidence that dressings containing antimicrobials (e.g. silver, iodine or honey) are more effective than un-medicated dressings for the treatment or prevention of wound infection.
- Long term use of antimicrobial dressings must be avoided e.g. stop using silver dressings if there are no improvements after 2 weeks and replace with a non-silver dressing.
- Indiscriminate use of topical antimicrobial dressings should also be discouraged because of concerns over bacterial resistance and toxicity. They should only be used where critical colonisation, an increased risk of clinical infection or clinical signs of infection are apparent.
- Silver dressings should not be used routinely for acute wounds, diabetic foot ulcers or uncomplicated leg ulcers. Evidence for use in infected burns is weak.

Contents	Page
 ALGINATE / HYDROFIBER DRESSINGS	4
 HYDROGEL SHEET / HYDROGELS	4 - 5
 HYDROCOLLOIDS	5
 FOAMS	6 - 8
 LOW ADHERENT DRESSINGS	8
 ODOUR ABSORBENT AND DEODORISING DRESSINGS	9
 SUPER ABSORBENT DRESSINGS	9
 POST OPERATIVE / FILM DRESSINGS	10
 DRESSING PADS	10
 SKIN BARRIER PRODUCTS	11
 SILVER IMPREGNATED DRESSINGS	12 - 13
 IODINE IMPREGNATED DRESSINGS	13
 PHMB IMPREGNATED DRESSINGS	13
 HONEY DRESSINGS	13
 TOPICAL NEGATIVE PRESSURE DRESSINGS	14
 STERILE LARVAL THERAPY / PRESSURE ULCER PREVENTION	15
 BANDAGES FORMULARY	16 - 19
 MISCELLANEOUS	20 - 22

WOUND MANAGEMENT PRODUCTS FORMULARY

May 2015 Drug Tariff Prices.

The clinician should read all product literature and manufacturers guides prior to use.

ALGINATE / HYDROFIBER DRESSINGS						
Product	Manufacturer	Size & (Pack Size)		PIP Code	Cost (each)	Wear Time & Other Information
KALTOSTAT®	ConvaTec	2g (5)		022-7074	£3.81	<ul style="list-style-type: none"> ▶ Use only in minor bleeding wounds as a haemostat alginate.
AQUACEL® dressing		Ribbon	2cm x 45cm (5)	240-8565	£2.44	<ul style="list-style-type: none"> ▶ As the product absorbs exudate it converts into a soft coherent gel. Should be applied to the wound with a 1cm overlap onto surrounding skin. ▶ Wear time depends on exudate level, but should be changed when saturated. ▶ Avoid packing cavity wounds tightly.
			1cm x 45cm (5)	361-5978	£1.83	
AQUACEL® EXTRA™ dressing		Square (flat)	5cm x 5cm (10)	367-3282	£1.00	<ul style="list-style-type: none"> ▶ Made to absorb exudate. ▶ Wear time depends on exudate level, but should be changed when saturated.
			10cm x 10cm (10)	367-3290	£2.38	
			15cm x 15cm (5)	367-3308	£4.48	
			4cm x 10cm (10)	382-4760	£1.30	
			4cm x 20cm (10)	382-4778	£1.91	
			4cm x 30cm (10)	382-4786	£2.87	

HYDROGEL SHEET						
Product	Manufacturer	Size & (Pack Size)		PIP Code	Cost (each)	Wear time & Other Information
Actiform Cool®	Activa Healthcare an L*R Company	5cm x 6.5cm (5) 10cm x 10cm (5)		315-5553 304-8352	£1.79 £2.63	<ul style="list-style-type: none"> ▶ Can be left in place for up to 7 days. ▶ Should not be placed into deep cavities or sinuses. ▶ Do not apply to a bleeding wound. ▶ Keep within 5°C - 35°C temperature range.

HYDROGELS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear time & Other Information
Intrasite Gel	Smith and Nephew	15g (10) 25g (10)	004-2895 006-3859	£2.39 £3.54	<ul style="list-style-type: none"> ▶ Not to be used on heavily exudating wounds ▶ Single use only ▶ 25g to be used on larger wounds

HYDROCOLLOIDS (Not indicated for use on diabetic foot wounds)					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
DuoDERM® Extra Thin™	ConvaTec	5cm x 10cm (10) 7.5cm x 7.5cm (5) 10cm x 10cm (10)	027-8150 027-7798 027-7897	£0.76 £0.79 £1.31	<ul style="list-style-type: none"> ▶ 3 – 7 days. ▶ Can be cut to size. ▶ Ensure border extends at least 2cm past wound margins.
Tegaderm™ Hydrocolloid Thin	3M	10cm x 12cm (5) 13cm x 15cm (5)	012-0212 048-4279	£1.55 £2.89	<ul style="list-style-type: none"> ▶ Suitable for use on sacrum due to film edge.
GRANUFLEX®	ConvaTec	10cm x 10cm (10) 15cm x 15cm (10) 15cm x 20cm (5)	004-6359 004-6367 004-6409	£2.78 £5.28 £5.72	<ul style="list-style-type: none"> ▶ 3 – 7 days. ▶ Patient may bath / shower with dressing in situ. ▶ Avoid on infected wounds (risk of anaerobic infection).

FOAMS

Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
AQUACEL® Foam dressing Adhesive	ConvaTec	8cm x 8cm (10)	378-1820	£1.38	<ul style="list-style-type: none"> ▶ Absorbent foam dressing with integral AQUACEL® wound contact layer and soft silicone adhesive. ▶ Can be used as a primary dressing for wounds which have light to moderate exudate. ▶ Can be used as a secondary dressing, especially when covering AQUACEL® EXTRA™ or AQUACEL® Ag Extra™.
		10cm x 10cm (10)	370-2784	£2.14	
		12.5cm x 12.5cm (10)	370-2792	£2.65	
		17.5cm x 17.5cm (10)	370-2800	£5.30	
		21cm x 21cm (5)	370-2818	£7.76	
		25cm x 30cm (5)	370-7361	£10.05	
		19.8cm x 14cm (Heel) (5)	370-7486	£5.43	
		20cm x 16.9cm (Sacral) (5)	370-6041	£4.87	
		24cm x 21.5cm (Sacral) (5)	388-5829	£5.50	
		8cm x 13cm (10)	394-3800	£2.23	
10cm x 20cm (5)	June 2015	£2.60			
10cm x 30cm (5)	June 2015	£4.95			
AQUACEL® Foam dressing Non-Adhesive		5cm x 5cm (10)	369-9311	£1.31	<ul style="list-style-type: none"> ▶ Do not use films to secure foams as this prevents evaporation of exudate. ▶ Can be used as a primary dressing for wounds which have light to moderate exudate. ▶ Can be used as a secondary dressing, especially when covering AQUACEL® EXTRA™ or AQUACEL® Ag Extra™.
		10cm x 10cm (10)	369-9329	£2.48	
		15cm x 15cm (5)	370-2750	£4.17	
		20cm x 20cm (5)	370-2776	£6.80	
		15cm x 20cm (5)	370-2768	£5.70	
		10cm x 20cm (5)	394-3818	£3.50	

FOAMS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Allevyn Adhesive	Smith & Nephew	7.5cm x 7.5cm (10)	220-6720	£1.48	<ul style="list-style-type: none"> ▶ Can be used as a secondary dressing. ▶ Can be used as a primary dressing for granulating / epithelialising wounds which have light to moderate exudate. ▶ Should be changed when exudate is present at the pad edges.
		10cm x 10cm (10)	290-9091	£2.18	
		12.5cm x 12.5cm (10)	220-6738	£2.67	
		12.5cm x 22.5cm (10)	276-6889	£4.12	
		17.5cm x 17.5cm (10)	220-6746	£5.26	
		22.5cm x 22.5cm (10)	220-6753	£7.60	
		17cm x 17cm (Sacral) (10)	273-4606	£3.90	
22cm x 22cm (Sacral) (10)	260-1672	£5.59			
Allevyn Non Adhesive		5cm x 5 cm (10)	207-0787	£1.23	<ul style="list-style-type: none"> ▶ Do not use films to secure foams as this prevents evaporation of exudate. ▶ Useful on overgranulating wounds.
		10cm x 10cm (10)	207-0811	£2.44	
		10cm x 20cm (10)	207-0829	£3.92	
		20cm x 20cm (10)	207-0837	£6.55	
		10.5cm x 13.5cm (5) (Cup-shaped)	260-1714	£4.98	
Allevyn Gentle Bordered		7.5cm x 7.5cm (10)	334-2052	£1.48	<ul style="list-style-type: none"> ▶ Can be used as a secondary dressing. ▶ Can be used as a primary dressing for granulating / epithelialising wounds which have light to moderate exudate. ▶ Should be changed when exudate is present at the pad edges. ▶ To be used to reduce pain / trauma at dressing change or for fragile skin.
		10cm x 10cm (10)	334-2060	£2.18	
		12.5cm x 12.5cm (10)	334-2102	£2.67	
		15cm x 15cm (10)	366-8589	£3.96	
		17.5cm x 17.5cm (10)	334-2045	£5.26	
		10cm x 20cm (10)	364-7765	£3.51	
		23cm x 23.2cm (5) (Heel)	345-5243	£9.59	
		16.8cm x 17.1cm (10) (Sacral)	364-7781	£3.94	
		21.6cm x 23cm (10) (Sacral)	371-9911	£5.58	
		17.1cm x 17.9cm (10) (Multisite)	366-8597	£4.26	
Allevyn Gentle		5cm x 5cm (10)	334-2136	£1.26	<ul style="list-style-type: none"> ▶ Do not use films to secure foams as this prevents evaporation of exudate.
		10cm x 10cm (10)	334-2235	£2.49	
		10cm x 20cm (10)	334-2243	£4.01	
		15cm x 15cm (10)	334-2276	£4.18	
		20cm x 20cm (10)	334-2284	£6.68	

FOAMS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Lyfoam® Max	Molnlycke Healthcare	7.5cm x 8.5cm (10) 10cm x 10cm (10)	367-8778 367-8786	£1.09 £1.14	<ul style="list-style-type: none"> ▶ Apply smooth shiny side to wound bed. ▶ Indicated for use on diabetic foot wounds. ▶ Do not use films to secure foams as this prevents evaporation of exudate. ▶ Should be changed when exudate is present at the pad edges.

LOW ADHERENT DRESSINGS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Silflex	Advansis medical	5cm x 7cm (10) 8cm x 10cm (10) 12cm x 15cm (10)	338-4385 338-4393 338-4401	£1.11 £2.27 £4.58	<ul style="list-style-type: none"> ▶ Maximum 14 days. ▶ Soft Silicone wound contact layer. ▶ Suitable for use under NPWT.
Profore WCL	Smith & Nephew	14cm x 20cm (50)	274-9802	£0.32	<ul style="list-style-type: none"> ▶ May be used under NPWT. ▶ Primary dressing. ▶ Irrigate with saline to aid removal.
N-A Ultra®	Systagenix	9.5cm x 9.5cm (40) 19cm x 9.5 cm	230-4095 259-0990	£0.33 £0.63	<ul style="list-style-type: none"> ▶ Maximum 7 days. ▶ Silicone dressing. ▶ May be used under NPWT.

ODOUR ABSORBENT AND DEODORISING DRESSINGS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Clinisorb® Odour Control Dressing (Activated Charcoal)	CliniMed Ltd	10cm x 10cm (10) 10cm x 20cm (10)	018-2667 018-2857	£1.88 £2.50	<ul style="list-style-type: none"> ▶ Use only as a deodorising dressing. ▶ It is not intended to be placed in direct contact with the wound, but should be placed over a suitable primary dressing. ▶ Once the charcoal comes into contact with exudate, its odour adsorbing properties are reduced and a change is required.

SUPER ABSORBENT DRESSINGS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
KerraMax Care	Crawford Healthcare	10cm x 22cm 20 cm x 22 cm 10cm x 10cm	342-3305 342-3290 352-3446	£1.67 £2.95 £1.27	<ul style="list-style-type: none"> ▶ Rapid absorption of wound exudate. ▶ Core contains fluid containing particles to lock away exudate. ▶ Change when saturated.

POST OPERATIVE / FILM DRESSINGS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Adpore	Medicareplus International Ltd	7cm x 8cm (55)	369-7331	£0.08	▶ Sterile dressing with absorbent pad and soft latex free adhesive border.
		10cm x 10cm (40)	369-7497	£0.10	
		10cm x 20cm (30)	369-7356	£0.30	
		10cm x 30cm (30)	369-7380	£0.42	
Hydrofilm®	Hartmann	6cm x 7cm (10)	342-6665	£0.22	▶ Film dressings allow oxygen transmission, moist wound environment, protects newly formed epithelialised tissue. ▶ Bacterial barrier water resistant. ▶ Remove both dressings in the direction of the hair growth.
		10cm x 12.5cm (10)	342-6228	£0.42	
		15cm x 20cm (10)	342-6244	£0.96	
		12cm x 25cm (25)	266-7368	£0.86	

DRESSING PADS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Zetuvit® E Dressing Pad (Sterile)	Hartmann	10cm x 10cm (25)	322-7618	£0.21	▶ Change when required. ▶ Do not use under compression bandaging.
		10cm x 20cm (25)	322-7584	£0.25	
		20cm x 20cm (15)	322-7592	£0.39	
		20cm x 40cm (10)	322-7600	£1.10	
Zetuvit® E Dressing Pad (Non Sterile)		10cm x 10cm (50)	328-6085	£0.07	
		10cm x 20cm (50)	328-6093	£0.09	
		20cm x 20cm (50)	328-6101	£0.14	
		20cm x 40cm (30)	328-6119	£0.27	

SKIN BARRIER PRODUCTS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Cavilon® No Sting Film <i>(Non alcohol based liquid)</i>	3M	1ml foam applicator (5) 3ml foam applicator (5) 28ml spray (1)	252-8491 252-8958 252-8960	£1.00 £1.61 £6.70	<ul style="list-style-type: none"> ▶ If spray is applied to an area of skin folds or other skin to skin contact make sure the skin contact areas are separated and allow coating to dry before returning to normal positions. ▶ Skin should be clean and dry prior to application. ▶ Apply coating of film over the entire treatment area when using the foam applicator. ▶ When using spray hold the nozzle 10 to 15cm from the skin, apply in a smooth even coat. ▶ Can be used on the surrounding skin of a diabetic foot wound. ▶ Wash off at each dressing change. ▶ Will not prevent adhesive dressings from sticking. ▶ Use also to protect skin from faecal and urinary incontinence.
Cavilon® Barrier Cream		2g per sachet (20) 92g tube (1)	282-2272 277-1079	£0.37 £8.12	
Emollient Therapy					
Cetraben® Emollient Cream	Genus Pharmaceuticals Ltd	500g pump dispenser	283-1006	£5.99	<ul style="list-style-type: none"> ▶ Moisturises and protects dry skin and eczema. ▶ Forms an oily layer that helps the skin retain moisture. ▶ Dispenses 4g into hand per pump.
Cetraben® Bath Additive		500ml bottle with dispensing optic	296-3734	£5.75	

WOUND INFECTION

Antimicrobial Dressings (Only for heavily colonised wounds or infected wounds as an adjunct to systemic antibiotic treatment).

- Antimicrobial products should only be used where an increased risk of infection or clinical signs of critical colonisation / infection are apparent. Once an infection has resolved, treatment with an antimicrobial product should be stopped.
- There is no robust clinical evidence that dressings containing antimicrobials (e.g. silver, iodine or honey) are more effective than un-medicated dressings for the treatment or prevention of wound infection.
- Long term use of antimicrobial dressings must be avoided e.g. stop using silver dressings if there are no improvements after 2 weeks and replace with a non-silver dressing.
- Indiscriminate use of topical antimicrobial dressings should also be discouraged because of concerns over bacterial resistance and toxicity. They should only be used where critical colonisation, an increased risk of clinical infection or clinical signs of infection are apparent.
- Silver dressings should not be used routinely for acute wounds, diabetic foot ulcers or uncomplicated leg ulcers. Evidence for use in infected burns is weak.

SILVER IMPREGNATED DRESSINGS

Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
AQUACEL® Ag+ EXTRA™ dressing	ConvaTec	Square (Flat)			<ul style="list-style-type: none"> ▶ Depends on level of exudate. ▶ Review use after one week. ▶ Allow a 1cm overlap over the edge of the wound.
		5cm x 5cm (10)	386-2703	£1.95	
		10cm x 10cm (10)	386-2695	£4.64	
		15cm x 15cm (5)	386-2711	£8.75	
		20cm x 30cm (5)	386-2679	£21.71	
		4cm x 10cm (10)	386-0350	£2.83	
		4cm x 20cm (10)	386-0368	£3.69	
4cm x 30cm (10)	386-2687	£5.52			
AQUACEL® Ag+ Ribbon dressing <i>Cavity dressing</i>		2 x 45cm (5)	386-2737	£4.67	<ul style="list-style-type: none"> ▶ Depends on level of exudate. ▶ Review use after one week.
		1 x 45cm (5)	386-2729	£3.06	
Acticoat® Flex 3 Dressing	Smith & Nephew	5cm x 5cm (5)	351-0781	£3.50	<ul style="list-style-type: none"> ▶ Change after 3 days. ▶ Review use after one week. ▶ Stop after 2 weeks use.
		10cm x 10cm (5)	351-3256	£8.56	

SILVER IMPREGNATED DRESSINGS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Acticoat® Absorbent	Smith & Nephew	5cm x 5cm (5) 10cm x 12.5cm (5) 2cm x 30cm rope (5)	319-5021 304-2272 304-2264	£5.33 £12.79 £12.87	<ul style="list-style-type: none"> ▶ Maximum 7 days. ▶ Review use after one week. ▶ Stop after 2 weeks use. ▶ Cut to the size of the wound bed.

IODINE IMPREGNATED DRESSINGS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Iodoflex® Paste	Smith & Nephew	5g (5) 10g (3)	073-1547 014-9617	£4.09 £8.17	<ul style="list-style-type: none"> ▶ Removes slough and debrides necrotic tissue. ▶ Caution in; renal impairment, thyroid disorders, children, pregnancy & lactating women. ▶ Review use after one week.

PHMB IMPREGNATED DRESSINGS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Suprasorb® X + PHMB	Activa Healthcare an L*R Company	9cm x 9cm (5) 14cm x 20cm (5)	344-0583 344-0591	£5.07 £11.53	<ul style="list-style-type: none"> ▶ Contains Polyhexamethylene Biguanide (PHMB) antimicrobial. ▶ Can be left in place for up to 7 days. ▶ Review use after one week.

HONEY DRESSINGS (Do not use if allergic to bee venom)					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Algivon® (Honey)	Advancis Medical	5cm x 5cm (5) 10cm x 10cm (5)	319-3711 319-3703	£1.98 £3.40	<ul style="list-style-type: none"> ▶ Depends on level of exudate. ▶ Review use after one week. ▶ Monitor blood sugar levels in diabetic patients.
Algivon Plus Ribbon (with probe)		2.5cm x 20cm (5)	374-4653	£3.36	
Activon Tube		25g tube (12)	319-3729	£2.05	<ul style="list-style-type: none"> ▶ Removes slough and debrides necrotic tissue.

TOPICAL NEGATIVE PRESSURE DRESSINGS					
Product	Manufacturer	Size	PIP Code	Cost (each)	Wear Time & Other Information
Renasys® F Foam kits with Soft Ports	Smith & Nephew	Small (10cm x 8cm x 3cm)	355-8954	£22.90	<ul style="list-style-type: none"> ▶ Change foam 2 or 3 times per week. ▶ For further information please contact the Tissue Viability Service on 020 8714 4085 or S&N Clinical Support line on: 0845 1200 167 out-side of office hours and bank holidays.
		Medium (20cm x 12.5cm x 3cm)	355-8962	£26.60	
		Large (25cm x 15cm x 3cm)	355-8970	£31.56	
Small		362-3485	£19.51	ALL PUMPS TO BE RETURNED TO TISSUE VIABILITY OFFICE WHEN NOT IN USE.	
Medium		362-3469	£24.47		
Large		362-3451	£31.05		
Renasys® G Gauze Dressing Kit with Soft Port					
Renasys® Go Canister with Gel	KCI	300ml	347-3782	£19.82	<ul style="list-style-type: none"> ▶ Depends on wound exudate. ▶ Change when full or after 7 days usage.
		750ml	358-2657	£27.33	
Renasys® Y Connector for Soft Port		N/a	357-5321	£3.24	▶ Use Y connector to connect two or more wounds to one pump.
Renasys® Port Kit		N/a	357-5339	£9.83	
300ml ActiVac Canister with Gel		5	346-7883	£28.42	<ul style="list-style-type: none"> ▶ Change according to the amount of exudate. ▶ Or every 7 days.
Y Connector		5	346-893	£3.13	▶ Use Y connector to connect two or more wounds to one pump.
White Foam	Small	354-7205	£10.64	▶ To promote graft take and for tunnels and undermining.	
	Large	354-8005	£17.04		
VAC Grunfoam Dressing Kit	Small (10) (10cm x 7.5cm x 3.3cm)	346-8543	£22.95	<ul style="list-style-type: none"> ▶ Change foam every 2 / 3 days. ▶ For further information please contact the Tissue Viability Service on 020 8630 3149 or contact KCI Customer Support on: 0800 980 8880. 	
	Medium (10cm x 12.5cm x 3.3cm)	346-8576	£27.32		
	Large (60cm x 30cm x 3.3cm)	346-8568	£31.70		
VAC Grunfoam Dressing Strip	10	346-8840	£3.76	<ul style="list-style-type: none"> ▶ Double sided adhesive hydrogel strip. ▶ Secure drape. 	

STERILE LARVAL THERAPY – MAGGOTS (PLEASE CONTACT TVN)					
Product	Manufacturer	Size	Product Code	Cost	Wear Time & Other Information
LarvE® BioBag Dressing Kit (Maggots contained in a mesh bag)	Biomonde	2.5cm x 4cm kit (contains @ 150 maggots)	BB50	£199.50	<p>ONLY TO BE PRESCRIBED BY INDEPENDENT PRESCRIBERS.</p> <ul style="list-style-type: none"> ▶ Decide which day larvae is to be applied. Take into consideration orders for maggots must be placed by 2pm at the latest on the day before required. ▶ To cancel an order contact BioMonde before 12pm on the day before delivery. All cancellations received after this time will incur full charge. ▶ Orders can be placed by fax on 01656 668 047 or by email: enquiries@biomonde.com. ▶ If you have not received delivery by 12 noon contact 0845 2301 810. ▶ Note full delivery address (deliveries must be signed for). ▶ State when you require delivery (application date). ▶ Time frame of delivery (AM or Saturday). ▶ Invoice address (if different to delivery address). ▶ Pharmacists should liaise with prescriber to ensure timely delivery and viability of product. ▶ Caution with patients who take Warfarin.
		5cm x 4cm	BB100	£229.50	
		5cm x 6cm kit (contains @ 300 maggots)	BB200	£249.50	
		12cm x 6cm kit (contains @ 800 maggots)	BB300	£279.50	
		10cm x 10cm kit (contains @ 900 maggots)	BB400	£299.50	

PRESSURE ULCER PREVENTION					
Product	Manufacturer	Size	Product Code	Cost	Wear Time & Other Information
KerraPro Pads	Crawford Health Care	Sacrum/Ankle One Size	375-6053	£16.50	<ul style="list-style-type: none"> ▶ Polymer gel-shaped pad that redistributes pressure while protecting and padding bony prominences. ▶ DO NOT USE ON BROKEN SKIN. ▶ Can be kept in place with underwear, socks, tubular bandage or silicone tape. ▶ Pads can be washed with soap and water and re-used by the same patient. Make sure the pad is dry. ▶ Can be cut with scissors.
		Heel One size	375-6087	£14.66	
		Sheet 10cm x 10cm x 0.3cm	375-6061	£4.15	
		Strips 30cm x 5cm x 0.3cm	377-3413	£6.25	

BANDAGES FORMULARY

LIGHT WEIGHT CONFORMING / TOE BANDAGES					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
K Band®	Urgo	5cm x 4m (1)	034-4333	£0.20	<ul style="list-style-type: none"> ▶ Depending on individual patient assessment. ▶ Spiral bandage application.
		10cm x 4m (1)	034-4358	£0.28	
Mollelast	Activa Healthcare an L*R Company	4cm x 4m (20)	344-3983	£0.30	

TUBULAR BANDAGES					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
ClinifastFlex™	Synergie Health	Medium Limb 5cm (Green Line)			<ul style="list-style-type: none"> ▶ Depending on individual patient assessment. ▶ To be worn joint to joint e.g toe to knee.
		1m (1)	327-6391	£0.58	
		5m (1)	327-6417	£2.81	
		Large Limb 7.5cm (Blue Line)			
		1m (1)	327-6425	£0.77	
		5m (1)	327-6441	£3.74	
		Extra-Large limb or Childs Trunk 10.75cm (Yellow Line)			
		1m (1)	327-6458	£1.20	
5m (1)	327-6474	£6.04			

SHORT STRETCH COMPRESSION BANDAGES					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
Actico® Cohesive	Activa Healthcare an L*R Company	6cm x 6m (1)	314-0878	£2.79	<ul style="list-style-type: none"> ▶ Maximum 7 days. ▶ Apply at 100% stretch if ankle measures more than 25cm after padding apply 2nd bandage reverse turn ankle to below knee.
		8cm x 6m (1)	314-0886	£3.21	
		10cm x 6m (1)	271-5431	£3.33	
		12cm x 6m (1)	314-0894	£4.24	

SUB-COMPRESSION ABSORBENT / PADDING BANDAGE					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
Profore #1	Smith & Nephew	10cm x 3.5m (1) unstretched	246-1663	£0.70	<ul style="list-style-type: none"> ▶ Apply from toe to knee in a spiral application 50% overlap without any tension. For ankles measuring 18cm or less apply two layers.
Profore #1 Latex Free		10cm x 3.5m (1) unstretched	322-2700	£0.76	

LIGHT CONFORMABLE BANDAGE					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
Profore #2	Smith & Nephew	10cm x 4.5m (1) stretched	258-5750	£1.34	<ul style="list-style-type: none"> ▶ Apply from toe to knee in a spiral application 50% overlap 50% stretch. A woven crepe type bandage used to hold the absorbent padding in place.
Profore #2 Latex Free		10cm x 4.5m (1) stretched	322-2718	£1.42	

LIGHT COMPRESSION BANDAGE TYPE 3A					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
Profore #3	Smith & Nephew	10cm x 8.7m (1) stretched	258-5768	£3.90	<ul style="list-style-type: none"> ▶ See HRCH: Leg Ulcer Management Guidelines. ▶ Depending on individual patient assessment apply 50% overlap 50% stretch in a figure of eight. ▶ Maximum 1 week. ▶ Layer 3 of the 4 - layer compression bandage system. ▶ Apply to ankles that measure 18 - 25cm or above 30cm.
Profore #3 Latex Free		10cm x 8.7m (1) stretched	322-2726	£4.24	

FLEXIBLE COHESIVE BANDAGE					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
Profore #4	Smith & Nephew	10cm x 2.5m (1) unstretched	246-1671	£3.23	<ul style="list-style-type: none"> ▶ Depends on individual. ▶ Maximum 1 week. ▶ Layer 4 of the 4 - layer compression bandage system. Apply 50% overlap 50% stretch in a spiral. ▶ For patients whose ulcers have an arterial component apply Profore# 1, 2 & 4
Profore #4 Latex Free		10cm x 8.7m (1) unstretched	322-2734	£3.51	

HIGH COMPRESSION BANDAGES (TYPE 3C)					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost per Bandage	Wear Time & Other Information
Profore +	Smith & Nephew	10cm x 3m (1) unstretched	246-1689	£3.66	<ul style="list-style-type: none"> ▶ Depending on individual. ▶ Maximum 1 week. ▶ Measure patients ankle before prescribing size apply to ankles that measure > 25cm.
Profore + Latex Free		10cm x 3m (1) unstretched	322-2742	£3.90	

HOSIERY					
Product	Manufacturer	Ankle Size (Circumference)	PIP Code	Cost per Garment	Wear Time & Other Information
Activa Liner	Activa Healthcare an L*R Company	Please see prescribers guide to compression hosiery as produced by Activa Healthcare an L*R Company	In guide	In guide	▶ 10mmHg liner light compression.
British Standard Hosiery					▶ Class 1, 2 & 3 to be used if NO oedema prior to treatment.
ActiLymph					▶ Class 1, 2 & 3 to be used if oedema prior to treatment.
Activa Leg Ulcer Hosiery Kit					▶ Use if Doppler (ABPI) is more than 0.8 and less than 1.3.

MISCELLANEOUS

DRESSING PACKS					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Nurse it® (Dressing Packs)	Medicareplus International Ltd	Small / Medium (10) Medium / Large (10)	351-2407 336-9170	£0.54 £0.54	Includes; compartment tray, forceps, apron, latex free gloves, disposable bag, paper towel, 7 swabs, absorbent dressing pad, laminated sterile field, wound measurement ruler.

DRESSING ADHESIVE REMOVER					
Product	Manufacturer	Volume	PIP Code	Cost (each)	Wear Time & Other Information
Appeel® Spray	CliniMed Ltd	50ml aerosol (1)	311-6589	£9.28	<ul style="list-style-type: none"> ▶ Removes adhesive dressing residue. ▶ No sting formula no need to wash off.
Appeel® Wipes		30 wipe pack	311-6571	£15.39	

WOUND CLEANSING FLUID (Cleanse with tap water as first line, especially for leg ulceration)					
Product	Manufacturer	Volume	PIP Code	Cost (each)	Wear Time & Other Information
Irripod®	C D Medical Ltd	20ml (25)	313-7155	£5.84 for 25	<ul style="list-style-type: none"> ▶ May be warmed in lukewarm water. ▶ Keep face away from wound to avoid splashes. ▶ Caution when cleansing diabetic foot ulcer / pressure ulcer when probing to bone. Necrotic tissue should be kept dry in diabetic patients.

INTRAVENOUS SITE DRESSING					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
IV 3000	Smith & Nephew	7cm x 9cm (100) 9cm x 12cm (50)	276-0783 320-2527	£0.73 £1.44	<ul style="list-style-type: none"> ▶ Do not apply under tension avoid wrinkles. ▶ Ported, central line catheters, shaped and the dressing has to be changed after every 7 days.

OTHER					
Product	Manufacturer	Size & (Pack Size)	PIP Code	Cost (each)	Wear Time & Other Information
Gauze Swabs – Type 13 Light 8 ply Non Sterile	Medicareplus International Ltd	100 pack	336-8891	£1.43	▶ Do not apply directly to wound bed as a dressing.
Gauze Swabs – Type 13 Light 8 ply Sterile / Pack 5		30 x 5 pack	336-8909	£0.41	
Acti-Glide®	Activa Healthcare an L*R Company	One size	284-5196	£14.40	▶ Applicator to assist patients applying compression hosiery.
Clinipore® Tape (Adhesive Tape)	CliniSupplies	2.5cm x 5m (1)	299-0109	£0.59	▶ Use as indicated.
		5cm x 5m (1)	299-0117	£0.99	
Mefix® Adhesive Tape	Molnlycke Healthcare	5cm x 5m (1)	268-4473	£1.81	▶ This should not be used for bandage fixation. ▶ Do not apply under tension.
		10cm x 5m (1)	268-4801	£2.89	
Steri-Strip®	3M	6mm x 75mm 3 strips (12)	088-4800	£8.77	▶ Use as indicated.
Limbo®	Thesis Technology Products & Services	Short Leg - Slim Build	320-0052	£10.56	▶ Waterproof leg protectors. ▶ Enables the user to have a bath or shower while protecting stockings, bandages or plaster.
		Average Build	320-0045		
		Short Leg - Large	320-0078		
		Large Leg	320-0060		
Kerraped Shoe	Ark Therapeutic	Small	329-4741	£17.75	▶ Shoe size 2 – 5.5 ▶ Shoe size 6 – 7.5 ▶ Shoe size 8 – 10 ▶ Shoe size 10.5 – 13
		Medium	329-4758		
		Large	329-4774		
		Extra Large	329-4782		
Prontosan Wound Solution	Braun	350mls	324-8572	£4.58	▶ Wound irrigation solution . ▶ Ready to use product for wound cleansing, moisturising and decontamination of acute and chronic wounds to aid efficient wound bed preparation. ▶ Apply to gauze and place on wound for 10-15 minutes.

OTHER					
Debrisoft	Activa HealthCare	10cm x 10cm (5)	358-1287	£6.27	▶ Debridement pad to be used on chronic wounds.
Cutimed Sorbact Swab	BSN Medical	4cm x 6cm	232-4325	£1.60	▶ Hydrophobic antimicrobial wound contact layer designed to bind bacteria under moist wound conditions.
		(11cm x 6cm unfolded) (5) 7cm x 9cm (17cm x 27cm unfolded) (5)	232-4333	£2.67	
Inadine	Systagenix	5cm x 5cm 9.5cm x 9.5cm	037-1195 037-1229	£0.33 £0.48	<ul style="list-style-type: none"> ▶ For treatment of superficial wounds with low exudate. ▶ Can be used at demarcation line between necrotic and healthy tissue seen in ischaemic foot. ▶ Can be used inter-digitally to separate necrotic toes from healthy toes. ▶ Change when dressing turns to white or every 2 to 3 days. Treatment must not be for longer than 2 weeks.

NOTES

Other Useful Sources of Information:

1. BNF - <http://www.bnf.org>
2. Drug Tariff - http://www.ppa.org.uk/ppa/edt_intro.htm
3. Mims for District Nurse Formulary - <http://www.mims.co.uk>

Contact Details:

Richmond

Teddington Memorial Hospital
Hampton Road
Teddington
Middlesex
TW11 0JL
Tel: 020 8714 4085/6

Hounslow

Heart of Hounslow
92 Bath Road
Hounslow
TW3 3EL
Tel: 020 8714 4085/6

If you need to prescribe a dressing that is not on the formulary, please contact the Tissue Viability Service.

A variation form will then need to be completed.

The printing of this document was financially supported by ConvaTec Limited. Hounslow and Richmond Community Healthcare is solely responsible for the content of the document and any recommendations made.

Providing care that we and our families would want to use